

Table 3-6 — PCBs in 0-8-cm Sediment Bed-Depth Interval
First MNR Report
Palos Verdes Shelf (OU 5 of the Montrose Chemical Corp. Superfund Site)
Los Angeles County, California

<i>Core location</i>	<i>Nominal water depth (m)</i>	<i>Average Total PCBs - short list (ug/kg)</i>	<i>Average Total PCBs (OC normalized) - short list (ug/kg OC)</i>	<i>Average Total PCBs - expanded list (ug/kg)</i>	<i>Average Total PCBs (OC normalized) - expanded list (ug/kg OC)</i>
<i>Shelf-wide cores</i>					
BA1B	150	69	4,200	140	8,300
BA1C	150	97	3,300	190	6,700
BA1DC	150	28	2,200	57	4,400
BA2B	150	68	2,900	140	5,700
BA2BR	150	70	3,600	140	7,200
BA2C	150	110	4,000	230	7,900
BA2DC	150	15	240	30	490
BA3B	150	230	12,000	450	24,000
BA3C	150	88	3,500	170	6,800
BA3DC	150	27	570	54	1,200
BA4B	150	560	19,000	1,100	39,000
BA4C	150	100	5,400	210	11,000
BA4CR	100	120	5,700	240	11,000
BA4DC	100	58	2,500	110	5,100
BA5B	100	1,000	18,000	2,100	37,000
BA5BR	100	780	12,000	1,500	24,000
BA5C	60	120	5,800	250	12,000
BA5DC	60	60	3,300	120	6,600
BA6B	60	1,700	31,000	3,300	61,000
BA6BC	60	620	13,000	1,200	26,000
BA6C	60	140	7,100	280	14,000
BA6DC	60	30	1,700	60	3,400
BA7B	60	850	25,000	1,700	51,000
BA7BC	60	49	3,200	95	6,300
BA7C	60	72	4,800	140	9,500
BA7DC	60	30	2,400	61	4,800
BA8B	60	1,700	33,000	3,400	67,000
BA8BC	40	180	4,300	350	8,700
BA8C	40	3,200	73,000	6,200	140,000

Table 3-6 — PCBs in 0-8-cm Sediment Bed-Depth Interval
First MNR Report
Palos Verdes Shelf (OU 5 of the Montrose Chemical Corp. Superfund Site)
Los Angeles County, California

<i>Core location</i>	<i>Nominal water depth (m)</i>	<i>Average Total PCBs - short list (ug/kg)</i>	<i>Average Total PCBs (OC normalized) - short list (ug/kg OC)</i>	<i>Average Total PCBs - expanded list (ug/kg)</i>	<i>Average Total PCBs (OC normalized) - expanded list (ug/kg OC)</i>
BA8DC	40	60	5,300	120	11,000
BA9B	40	290	12,000	580	23,000
BA9BC	40	220	9,000	430	18,000
BA9C	40	54	3,900	110	7,700
BA9DC	40	38	2,700	75	5,300
BA10B	40	41	3,200	93	7,300
BA10C	40	9	1,100	20	2,500
BA10DC	40	18	1,600	40	3,500
Outfall area cores					
OA01	70	130	6,200	260	12,000
OA02	50	140	7,000	280	14,000
OA03	50	340	9,700	670	19,000
OA04	70	370	12,000	740	25,000
OA05	60	180	6,900	360	14,000
OA05R	60	280	12,000	560	24,000
OA06	50	370	18,000	750	36,000
OA07	70	1,100	28,000	2,100	55,000
OA07R	70	1,100	25,000	2,300	50,000
OA08	50	470	19,000	940	38,000
OA09	40	37	2,400	75	5,000
OA10	70	600	15,000	1,200	30,000
OA10R	70	440	16,000	890	32,000
OA11	50	360	17,000	720	34,000
OA11R	50	380	15,000	750	29,000
OA12	70	270	13,000	550	27,000
OA12R	70	210	13,000	430	26,000
OA13	60	130	7,600	250	15,000

Table 3-6 — PCBs in 0-8-cm Sediment Bed-Depth Interval
First MNR Report
Palos Verdes Shelf (OU 5 of the Montrose Chemical Corp. Superfund Site)
Los Angeles County, California

<i>Core location</i>	<i>Nominal water depth (m)</i>	<i>Average Total PCBs - short list (ug/kg)</i>	<i>Average Total PCBs (OC normalized) - short list (ug/kg OC)</i>	<i>Average Total PCBs - expanded list (ug/kg)</i>	<i>Average Total PCBs (OC normalized) - expanded list (ug/kg OC)</i>
OA14	50	92	5,700	180	11,000
OA15	80	240	12,000	480	25,000
OA16	70	180	9,100	370	18,000
OA16R	70	230	13,000	470	26,000
OA17	60	150	8,400	320	17,000
OA18	90	250	10,000	500	20,000
OA19	80	140	9,600	270	19,000
OA20	40	30	2,000	63	4,100
OA21	80	190	12,000	380	23,000
OA22	60	110	8,000	220	16,000
OA22R	60	62	4,900	120	9,700
OA23	50	48	3,700	96	7,400
OA24	70	260	16,000	530	31,000
OA25	50	23	2,400	46	4,900
OA26	60	650	25,000	1,300	50,000
OA27	150	290	15,000	590	31,000
OA28	70	460	10,000	930	20,000
OA29	150	1,300	26,000	2,500	52,000
OA30	50	160	8,700	310	17,000
OA31	60	110	6,200	220	12,000
OA32	70	220	11,000	440	22,000
OA33	60	12	1,500	25	3,000
OA34	70	920	30,000	1,900	60,000
OA35	80	800	31,000	1,600	62,000

Abbreviations

cm - Centimeters

m - Meters

OC - Organic carbon

ug/kg - Micrograms per kilogram